

www.hicHydraulic.com



HIGH PRESSURE PIPE AND FLUID CONNECTOR HYDRAULIC FITTINGS

HIC INTERNATIONAL CO INC

COMPANY PROFILE QAP, CREDENTIALS

When the **Going Gets** Tough, The **Toughs** Get Going.



www.hicConveyors.com



www.hicPowerDrive.com



www.hicInsulation.com



www.hicHydraulic.com





Industrial Rubber Exports Company Profile




1988

About **HIC** Start-up

Began in June, 1988 with composite units, comprising Textile making industrial fabric for belts and Rubber factory of transmission belting, hygienic conveyor belts in Prahladpur, Delhi supplied all-over India to rice mills, agricultural threshers, flour mills, sugar makers, tyre industries and tea estates.

Today, privileged to serve thousands of industries with wide range of super quality manufactured industrial products in Asia, Oceania, Africa, America and othermarkets.



Read more at: www.hic-India.com

Our Mission

Company understands that in every factory, industrial products demands **performance** in critical and extreme conditions. Any premature failures could wreak havoc with their optimum production plans.

At HIC International, our mission is to manufacture tested quality Cost-effective Bulk Conveyor Components, Power Transmission Parts, Insulation Safety Flooring and Packing, Hydraulic High Pressure Pipe and Fluid Fittings, tailor-made to customer's specifications within stipulated delivery time, providing Long Life Reliability.

Total Quality Management principles are followed and

True Performance is thus assured.





Our Rubber Products

HIC company always believed in producing high quality material conforming to relevant to IS, DIN, IEC, ASTM, BS standards, using eco-friendly environment & good sourcing practices, be it:

Conveyor Belt, Idler, Fastener for Continuous Material Handling;

Drive Belt, Coupling, Pulley for Break-free Power Transmission;

Insulation Mat, Sheeting, Skirtboard for Secured Dielectric Leakage Safety;

Hydraulic Hose, Quick Camlock, Valve for High Pressure Fluid Flow.

Our Team

SSI rubbers manufacturing unit, dedicated team of 63

workforce having rubber technologist, chemical compounders - chemist, mechanical and maintenance engineers, skilled labor, quality control inspector and laboratory in-charge, best management experts in Delhi and UP located factories in India.


Learn more at: www.hicRubber.com



Organization Structure

Effective PATTERN of Task Allocation & Supervision to HIC Production Team ensures goals accomplished within time.





Quality Assurance

Quality Control is of prime importance at HIC Rubber Products Manufacturing



Compulsory for "HIC Universal" products produced conforming to exacting International Standards involving **material testing** and **safety performance** checks to ensure long lasting quality is supplied.

- **QAP1.** Raw materials sourced indigenously as well as from outside India validated with Test Certificates to **ensure consistent quality** manufactured every time in compliance with the order specification.
- **QAP2.** Engineer reviews CTQ (Critical-to-Quality) **dimensions** of new production item.
- **QAP3.** QC Technician examines for allowable tolerances, potential defects and general **quality assurance**.
- **QAP4.** QC Engineer inspects randomly pulled Rubber manufactured products, Machined Steel parts, PVC articles from production floor; entire data is **documented in compliance with ISO** in computer system and linked back to customer's purchase order.
- **QAP5.** QC Lab Technician conducts detailed material test report in accordance with relevant **BIS, DIN, BS, ASTM, IEC, SANS, AS, JIS, ISO** quality standards.
- QAP6. Factory Supervisor inspects tailor-made Conveyor Drive Machinery Parts made of rubber & machined steel, Safety Flooring Packing made of synthetic rubber, Hydraulic Delivery & Fluid Fittings made of rubber & stainless steel, custom-made industrial goods prior to packaging and final shipment.

Full-proof Tests Quality Assurance Plan

(1 Year Warranted Products by HIC International Co)

100% Physical checks with respect to dimensions,

100% Chemical checks w.r.t. MOC,

20% **Random** physical tests

Signationar control sectors and the sector sector sector sectors and the sector sector sectors and the sector sectors and the sector sectors and the sectors a

Learn more at: www.universaldelhi.org

Production Capacity 100% SECURE





"HIC Universal" Conveyor Carrier, Drive Shaft, Insulation Safety, Hydraulic Piping:

Manufacture & Supply Capability per Annum

Conveyor Belts (Rubber, PVC)	72,000 meters
Conveyor Belt Fasteners & Elevator Bolts	1,00,000 numbers
Conveyor Roller Idlers (Machined Steel)	60,000 numbers
Conveyor Drum Pulleys (Machined Steel)	1,200 numbers
Drive Flexible Shaft Couplings (Machined Steel)	75,000 numbers
Drive Flat Transmission Belting (Rubber, Leather)	60,000 meters
Drive V Belts (Rubber)	2,50,000 numbers
Drive Pulleys V and Timing Belt (Machined Steel)	5,000 numbers
Safety Rubber Insulating Mats, Sheets, Skirt	18,000 numbers
Hydraulic Delivery Rubber Hoses	1,25,000 meters
Fluid Control Valves High Pressure (Stainless Steel)	50,000 numbers
Fluid Fittings Camlock, Quick Release Couplings (S.S.)	75,000 numbers

Find more at: www.hic-India.com









Customer Industries and Geographies

An **endless list** of satisfied business industries of "HIC Universal" brand exists as of today, and, have acclaimed for optimum efficiency & high life.

Providing Master Solutions combining best quality & reliable production technology, within India & major parts of Asia, Africa, Europe, South America, Oceania, North America:

Tea estates
Power plant
Sugar mills
Cement factories
Food industry and dairy
Government company
Mining mineral industry
Nuclear power plant
Oil & gas industry

- Construction industry
- Textile industries
- Paper mills
- Steel foundry and sand
- Airline industry
- Fertilizer & chemicals plant
- Automobile industries
- OEM's of machinery and equipment

Discover more at: www.universaldelhi.org

Key Factors made HIC Unique

Since inception in 1988, Company has fostered creativity – with **proven** track record of performance. Challenging spirit propels "HICUniversal" to make unmatched quality.

Principles fundamentally followed:

- Tested Quality Raw Materials from Approved Vendors Used
- Tailor-Made to Ordered Specs. & Superlative Performance
- Delivery as Per Agreed Time Stipulation

1990

National **Expansion**

Commitment to excellence, **perfection** to the minutest degree, latest know-how had been the hall-marks in manufacturing activities. **Total Quality Management** principles are followed that accounted for repeated orders from different satisfied customers.

Read more at: www.hic-India.com



1993

International **Expansion**

Accumulated study of various materials and years of hard and intelligent work led to **proven** knowledge base.

This accounted for rapid growth in the form of **repeated orders** from various customers on regular basis.



1995

A Growing Reputation

HIC International Co Inc. had been instrumental in Providing Master Solutions to Cement, Mining, Sugar, Paper, Fertilizer, Thermal Power & other industries in India & Overseas.

No concept is too unique; too arduous for HIC to tackle.

1997

Won Export **Excellence Award**



Aggressively pursued exports and honored Gold Medal & Excellence Award by the then Finance Minister of India in Feb.1997, keeping International approach.

"HIC Universal" products, about 30-40% to domestic sales accounts were exported to quality dictating European countries.



AWARD in 1997 Feb-HIC Export Excellence to A.Gupta by then Finance Minister

2007

International **Expansion**

Strong QC and stringent Quality Assurance systems ensured "HIC Universal" brand leadership and Proven Reliability.

Challenging spirit and Prompt Customer Concern are the fundamentals behind growth & success today.

In-house R&D – various rubber and machined steel products as per drawings are developed combining best technology for longer life and economy.

Test Certificate of our Lab, are forwarded along with the supply. Additionally, geared up to offer **Third Party Inspections** by DNV, EIL, RITES, SGS, CPRI, etc. as well.

Read more at: www.hic-India.com



Third Party Inspections and **Certificate of Quality Passed**





DNV Release Note Insp. Passed Certificate-HIC Conveyor Rubber Belt for Oil Refinery India



The verify of the goods under the GCC has been previded by Papers, such as the segrence, supplier or manufacture, if, gives these for reflexence only on the previous difference of the second segrence of the second s

×



SGS Certificate of Conformity Insp. Passed Certificate-HIC Transmission Belts for Wildlife Kenya

	COULD LABOR FLICT
	WO KASAT Page
C Formation Commission	Charles Augusta Start Land
	Lation Manufact Death
9 Lucion's statements	Set Debt (1996)
in one and Addres of	der Mersternetzungen bei mit
New Yorker States of	A Dec Mand A Good New York, a new
P. Law Company Inc.	Countred Frankering Stat
An example of Source and Annual Source of Sour	and it is a second seco
	Galle any
CVP, Cole 24 2 County on County and Provide	ATTAL TARABASI (ALC)
3 Democratic Control	S H K H = X Y Tr
in the second second second second second	Chickey Comments
	to be united from them. The
	 The sector for such that The sector for a family sector.
 Les autoritais des Cambres : Gambres :: 	New Articlash
the second s	1.4
	10
U. Jan discher Anoras	.W.
Collectory and a second	1 1
1º University of all states of a series	
Hereinsteinen	
No. 100 Carles	
1.	de la
d Marine Kown	100 A
JEST LINEAU C	LINUT AND A
	Walter Land and Belle Repairing the
	2574 (MERIAL - 18)

CPRI Test Report-Insp. Passed Certificate- for HIC Electrical Insulation Mat for Power Plant Saudi Arabia



SHINDE Despatch Certificate-Insp. Test Passed -HIC Electrical Rubber Mat for Nigeria Power Project



ONGC Quality Clearance Certificate-Insp. Test Passed-HIC Pulley V for Puducherry Oil Gas Corp

See many more at: www.hic-India.com





Few credentials of govt. industries, oil refinery, cement factory, paper mill industries, fertilizer plants, etc. are displayed, ensuring repeat orders, though, many **more certificates** available, as feedbacks are constantly monitored for providing highest customer's satisfaction:



2001-02 Cement Limestone Mine Gujarat India supply



2005-06 Magnesite Refractory Mine UTR India supply



2006-07 Heavy Water Govt. Captive Power Plant Andhra India supply

Sector.		Distance in the second	macreinista ti es of india of ere	Aliaritah Lagi	5	
uqqu	antista.				LOUIS TRACE	
					047 - 000100.00 Dete - 17-700-10	
76 -119-5417.5		1.1	000-00-00	0000	CARLE CONTRACTOR	
NA ULU, DITE ULU, AND ROTH COMMA TOD NEE DIAT-11008 PRODUCT LINES	0-018	. 1845	LIN DUR. NY	171.00		
GPR 254 guality Sented up, rolling al. Ho. 102, R	success to a local to be the top of	a fullenting	salagavies and 5 to lass the	(1.10) - 400 (1.10) - 400 (1.10) - 801 (2.1) - 400 (1.10)	the following employed in the formation formation for the following formation for the following the	÷
The performance					e in places in elses (silve) AT200	
Petitis (Black)		. 14	:40	256	**	
Hannerin Factors 12 State per off 22 Ron-peril/1493 22 Ron-peril/1493	passi at per	support to a	negativened a	in of loger	tion or angular 's error.	
In about this	es. pogilio	cetti in 4	Course sugar	tes This Said	a tolt fill solving better.	
					Baning somializion / and raining mill be reduced to are over an devailed below	
al 11000 C 1000	Transfeller				19	
(a) Thoma / sport (a) Thoma / sport (b) a t	one setting	the Sector	/ goarsailes p	ACKEPTER C		
al liness./ april ii liness./ april					D. W	
anoretiset / a					2 B.X	
perturbelies	(whiteware)				6.5	
then quality de	Forbatty 18	000000000000	alog Firm R	ning manifest	targe, the Anisyst Server 5	
34 COMPARISH AN To Companiality in	al after re-	and the state			5.2 5.8	
of 1F supplier 3	New COLL CAR	isty / emile	en a presidente		0.0	
WITE - Children of Wit Depart	applies non	14 mg 1410	stands frie m	-	seen liney one scatter, the	
APACING MARINE "No. have for the free later also where forces all		Anti-sheeth it	t all put real	ateral mode n be easy to	m buly filler buriler beat to of the earliest if set o	HALL NO.
mp is endied	4 10 202 45	MALTA NOR. 10	althe realth i	Association in	bining ".	
comesta: 11.4						


2010-11

Electric Power Transformer Govt. Mfr.

UP India supply



2013-14 Metal Mining Zinc Smelter Kerala India supply



Power Generation Govt. Plan Andhra India supply

2013-14 Project Consultant USA supply



MAC		
Arlahat Seven Anglanda Internetian	na - 2012ax -4208(P) 12	-14-01-94-01-01-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
		80,0 Kr. 173
	Stoplist RIT SPERM	network of the network's three
General		
We are water with the generation	TREASANT A STAR	nd Faillin, coal la faoir ann an s
7 Hydrox		
Панал Каказа. Рологият — Раская Брагу.		
la, ny Teo 57 0-57771/5 Edension CX Note 422 5702 730 Teo 125 2407 517		
20 Boos (KCC Suffix Revells (SN) Is why die Gynaciae des avanue blance o		
Pr., 2 Prysin, Garjan H 52		
		I Commen
	NOV IN	M Straw

2013-14 Scrap Metal Recycling Kuwait supply



2015-16 Cement Mfg. Plant Nepal supply



2015-16 Cement Producer Govt. Factory Assam India supply

2015-16 Filter Revamping EQPT Mfg. Germany supply



Mining Ferro Alloys

Odisha India supply

M STER STER STER S ÿ नेपा हिम्बिटेड NEPA LIMITED igistered Office -NAAGAN (MJN) 480 221 Inn 11-315 332134 अंध्यां क्या का पंचान पंचां कृत का गांत्रम वेचनार (१.४.) - २०२२२१ क्षेत्र १९४४२२२२२२२ १८. १९४४२२२४४४ -53 March 22, 3015 TO WHOMSOFVER IT HAY CONCERN This is to certify they the UNITVENERL make converyor built used in our plant as obtained betwee him performed antializationly and bed root all the technical requirements as desired by as in our Purchase Order. universial. Halen Conveyor, Transmission, Hydroufica Industrial Rubber Products
 Description
 Open Applied
 Part 2019
 r-4.59/arrol. Eadlers NSD This is the telle manness its all sponsers Thanks With heat repards Ochable" CH (WAP) Ľ Delta Di-11-DARASSIT 01-11-2462272 01-32-3774438 8-640 220

2015-16 Newsprint Paper Govt. Plant MP India supply

<image> Ž a contractor There is a set of the Data 617 Taxan Belle standbel by HIC INTERACTIONAL CO INC quality, performance and charability is good TB date we have not received any completest from user department. Reports A app Komir Laraani And the second s BOARS - BRAN The real (10) Million and the second se Ľ Ľ k WARKS WARKS WARKS W 22000 ernes ernes 225 990 2015-16 2015-16


Project Consultar Egypt supply

See more at: www.Rubber-Steel-Industrial-Products.com

Karnataka India supply



Ľ



Ě

2015-16 Ship Building and Repair Sri Lanka supply



M STOR STOR STOR S

S Ž NO NKG India Coffee NAME AND ADDRESS The Inc. In the second line - (100 1- 110000 Art 162 Purchase over Annual and in 12 and 100 10. We determine the the stress was basic produced BTPTCs ∇_{T} is Target 1 products Sec(2), becaute 1 in the transition of the transition Not was stad Well parentized from peak, the scientif hisping imperiation was good and we as protected, with your prompt comparison. We and all your Territor can obtain conduct for and source The to consider using three for any further enging process (1 mig. test into Calles for Las -Brooster of the Andrew Concerns the first case. Že to 3 22 March 22 March 22 March 22 225 1

DARK PED MENTAL PROVEST POLY DECT PANNA MAY Just lake To block also be a Airlanach Ban Shaar Shariis Shilt Shaar Shariis Alone Inv (7) (11) Ľ æ 222000 er and er and er 225

2016-17 Coffee Processing Factory Karnataka India supply

2016-17 Diamond Mining Govt. Project MP India supply





2016-17 Tube Fittings Mfr.-TN India supply





Electrical Design Consultants Hong Kong China supply


Quality is N ever by A ccident!

MINI-IC -	-	CREAT
Milater, Toolk Angland, Int	unal Area - Bill New 4738 Yadar	THE THEORY FOR LETTER
HIT DEFENSION TO DE UN	and an an an a	
	,	man parts
Han II. A.S. Similar Local Bar Source and the Industry of the Source and Source and Source and Source Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control of Source Annual Control Source Annual Control of Source Annual Control o		
		ite fanne om de fan ite fan ite e

2017-18 Waste Recycling Plant Kuwait supply



2018-19 Mineral Sands Govt. Mining Sri Lanka supply



Protection EQPT. Mfg. Vietnam supply **2018-19** Sugar Mill UP India supply

Hydraulic Flexible Delivery Pipe



Kink-free High Pressure Rubber Hose

For Water, Slurry, Steam, Oil Suction & Discharge

Mines Mud Water, Abrasive Slurry, Cement Bulker Fly Ash, Chemical, Dock Petroleum, Hot Bitumen, 10,15,18 bar Armoured, Large Diameter SUCTION and DISCHARGE

Dairy Steam, Hot Water, Nitrogen, Compressed Air, 10,16,20 bar Delivery FLEXIBLE

Non Conductive Carbon Free with Fire-proof Cover, **10,15 bar** Furnace Coolant BRAIDED

Marine Wash-down Flexible Water Discharge, 10,15 bar LAY FLAT

Jetting Water-blast1000 bar, Concrete Pump Spray 85, 100 bar, HIGH PRESSURE

Mine Washer, Earthmover Hydraulic System, Petroleum, 35~703 bar, HTS Wire SPIRAL

Forestry Fire Fighting, 10~18 bar, Single Jacket EPDM Rubber Lined CANVAS FIRE

END FITTINGS: Flanges MS Class ASA 150, BS10 or other, Crimped, In-Built, Threaded BSP/ NPT

LENGTHS (max.): Mandrel-built Suction: 6/7.5/10/15/18/20 M; Braided: 15/20/60/120 M

NOMINAL BORE: I.D. 6.4 mm to 457 mm (=18 inch)

TEST CERTIFICATE w.r.t. Test Pressure, Burst P., etc. as per IS 3549, EN 287, IS 10733, IS 8189, IS 10655, IS 444, IS 446, SAE 100, ISO 4641, IS 636, ISO 8330, ISO 7751, EN 12001, ASTM D 412




Delivery Lead Time:

Generally, within 4-6 weeks Production Capacity: 125,000 meters per annum



Technical Data Download: www.hicHydraulic.com





Hydraulic Fluid Pipe Connectors



Leak-proof Liquid Shutoff Camlock and Quick Coupling

For Fast Water, Steam, Vacuum & Air Connect Disconnect

Ship Loading, Fuel Tanker Unloading, Aviation Flammable Liquids, Chemical Dry Powders, Beverages Handling, **17~35 bar** Pressure, **CAMLOCK FITTINGS**:

Adaptor (F) **Part A**; Coupler (M): **Part B**; Hose Shank Coupler: **Part C**; Coupler (F): **Part D**; Hose Shank Adaptor: **Part E**; Adaptor (M): **Part F**; Dust Cap: **DC**; Dust Plug: **DP**

Refrigeration, Gas, Air Conditioning, Automotive, **Double Check** Valve Coupler Adapter Set **70~280 bar** Pressure, **HYDRAULIC Quick Release Coupling**

Automotive, Electronics, Power Tools, Food Processing Compressed Air, **Single Check** Valve Coupler Adapter Set **10~28 bar** Pressure, **PNEUMATIC Quick Acting Coupling**

Agricultural ISO 7241 A up to 350 bar Pressure, Interchangeable HYDRAULIC COUPLERS

BODY MATERIAL: SS 316, SS 304, CS chrome plated, Brass

'O' RING SEAL: Nitrile (standard), Silicone, Viton

SIZES & THREAD: 2~8 inch Cam Groove Coupling; 1/2~3 inch QRC; BSP, NPT; Male, Female

> TEST CERTIFICATE w.r.t. Threading Gouge, Test Pressure, etc. as per DIN2838, DIN 2826, ISO 7241 Series 'A' Interchange

DISCONNEC

Delivery Lead Time: Production Capacity:

Generally, within 5-6 weeks 75,000 nos. per annum



Technical Data Download: www.hicHydraulic.com

High Pressure Flow Regulating



Highest Temperature Safe Control Valve

For Leak-free Water, Gas, Fluid Flow Shutoff

Water Well Mud Pump, Asphalt Release, Wastewater, Military Fire Truck Fluid, Cryogenic, Forklift Hydraulic Control, Chemical Dosing, Gas Mixing, 2-Way, Three Way L or T Port Mixing, 4 Way Multi Diverting, Full & Reduced Bore, 50~1000 bar Pressure BALL Type

Instrumentation Process, Gas Regulating, 20~500 bar, ASA300# Pressure NEEDLE Type

Sewage Flow Quarter-Turn, Beverages Hygienic, Sanitary Water, Low Pressure Drop, up to ASA150# Pressure Wafer BUTTERFLY Type

Oilfield, Power Generation, Acid & Alkali Isolation Plumbing, up to ASA300# Pressure GATE Type

MATERIALS, MOC: SS304 Corrosion Resistant Stainless, Ultra Pressure & Temp. Up to 450° C Rating CARBON STEEL, Isolation, Light Weight FORGED STEEL, Cold Temp. Resistant BRASS

SEALS of Body and Stem for application: Steam (CFT); Acids (FKM Viton); Chemicals (GFT); Fire (GRAPHOIL); Hydrocarbon (NBR); Nuclear Radiation (PEEK); Natural Gas (POM); Cryogenic (PTFE Teflon); Hot Air (MQ Silicone)

END CONNECTION: Threaded BSP/ NPT female/ male OR Flanged Class ASA/ DIN/ BS OR Socket weld OR Butt-weld

SIZES: ½ inch (12 MM NB) up to 16 inch (400 MM NB)

TEST CERTIFICATE w.r.t. Test Pressure, Seal, etc. as per ISO 9884, ISO 10423, ISO 5752, ISO 5996



Delivery Lead Time: Production Capacity:

Generally, within 5-6 weeks 50,000 nos. per annum



Technical Data Download: www.hicHydraulic.com



Electrical Insulation Safety Matting



Voltage Safe Flooring **Insulating Mats**

For Switchboard Heavy Current Shock Protection

HT, LT Control Panel-Boards Sparks Resistant, **HIGH VOLTAGE MAT** Rated as laid in IS 15652 Class A: 2 mm Thick, 10KV Proof; Class B: 2.5 mm Thick, 22KV Proof; Class C: 3 mm Thick, 36KV Proof

Power Substation. DI-ELECTRIC CARPET Rated as laid in IEC 61111 Class 0: 2.5 mm Thick, 5KV Proof; Class 1: 3 mm Thick, 10KV Proof; Class 2: 4 mm Thick, 20KV Proof; Class 3: 4 mm Thick, 30KV Proof; Class 4: 6 mm Thick, 40KV Proof

Switchgear, Fuse Boxes, NON CONDUCTIVE MAT Rated as laid in ASTM D-178, ANSI JS.7 Class 1: 4.5 mm Thick, 10KV Proof; Class 2: 6 mm Thick, 20KV Proof; Class 3: 9 mm Thick, 30KV Proof; Class 4: 12 mm Thick, 40KV Proof

Electricity Generation, AC CURRENT RESISTANT CHEQUERED MAT Rated as laid in IS 5424 6 mm (0.4 KV Working); 8 mm (1KV work); 10 mm (7.5 KV work) ~ 25 mm Thick; 15KV Proof

WIDTHS & LENGTHS: 1m, 1.2m: W and L: 2m, 5m, 10m, 20m, 25meters

COLOR: BLACK (standard), GREY, RED

Anti-Slip **FINISH**: Textured (standard), Fine Ribbed, Chequered

TEST CERTIFICATE w.r.t. Di-electric, AC Proof Voltage, etc. Test Passed as per IEC 61111, ASTM D-178, IS 15652, IS 5424



Delivery Lead Time:

Generally, within 4-6 weeks Production Capacity: 18,000 nos. per annum



Technical Data Download: www.hicInsulation.com





Safety Sheeting Gasket Material



Compression Set Sealing Rubber Sheet

For Leak-safe Diaphragm & Flange Packing

Defense, Fuel Tank, Fire & Hydrocarbons Resistant - 45°C to +120°C Multifunction NEOPRENE

Roofing, Corrosive Chemicals, Steam, Acids & All-Weather Resistant - 50°C to +150°C EPDM

Petroleum Refinery, Aviation, Bio-Diesel Fuel & Ultra Heat Resistant - 30°C to 230°C VITON

Medical Strips, Food & Beverages, Thermally Stable & High Temperature Resistant - 55°C to 300°C SILICONE

Aeronautics, Storage Tank Lining, Inorganic Chemicals & Petroleum Oil Resistant - 40°C to +100°C NBR NITRILE

Shot Blast, Manhole Hot Water Cover, Abrasion & Ageing Resistant - 60°C to +125°C SBR

Pumps, Shot Peening, Crushers, Impact & Water Resistant - 50°C to +70°C RMA, Natural

Transformer Noise Isolation, Friction-proof Rubberized NITRILE Bonded CORK

INSERTION Cloth Nylon or Cotton, 1/2 Ply, None

THICKNESS 1.5 mm~50 mm

SIZE, Width & Length: 0.9m, 1m, 1.2m, 1.4m W; 2m, 5m, 10m, 20m

TEST CERTIFICATE w.r.t. Shore Hardness, Tensile Strength, Elongation, etc. as per IS 5192, BS 2752, IS 638, IS 4253



Delivery Lead Time:

Generally, within 4-6 weeks Production Capacity: 18,000 nos. per annum



Technical Data Download: www.hicInsulation.com

Mechanical Power Transmission Parts



Extreme Strength Friction Flat Belting

For High Speed Machines Drive

Twister Textile Machine, **Tangential** TA, TFO up to 4 mm Thick & 0.7 m W

Marble Gangsaw, Paper Machines, Nylon Leather LF up to 7.5 mm Thick & 0.7 m W

Package Handling, Parcels, Rubber Nylon XRS, AR up to 5 mm Thick & 0.9 m W

Rice & Flour Processing, Agri. Water Pump, **Rubber Cotton** 37oz Dynapower/ Brute, 34 oz. Oak/ Dynapower, 31oz. Tor Steel, 28oz. Super, 3~12 Ply, Cut Edges, Round Edge & up to 1.05 m W

Textile Carding Machine, Cone Drum Pulley **Both Side Drive,** Leather Nylon core, both sides chrome leather, oil & grease resistant, LL up to 8 mm Thick & up to 300 mm W

COLOR:

TA belt type- 1 side Green + Yellow/ Black, other side;

TFO belt type-1 side Blue + Grey, other side;

LF belt type-1 side fabric, Red/ Green + Off-white Chrome Leather, other side;

XRS, AR belt type- Both sides Green, 1 side Green + Yellow/ Blue, other side;

37oz/34/31/28oz hard duck cotton rubber belt type- Grey with Blue sides, Green with Green sides, TBS orange with Red sides

TEST CERTIFICATE w.r.t. Tensile Strength, Elongation, etc. as per IS 1370, ISO 4184




Delivery Lead Time: Production Capacity: Generally, within 4-6 weeks 80,000 meters per annum



Technical Data Download: www.hicPowerDrive.com



Reciprocating Pump Coupling, Transmitting Torque Uniformly!



Motor Pump Drive Parts



High Torque Rotation Flexible Coupling

For Backlash-free Shaft Turn Round

Motor Drive, Elastic TYRE F, PH, TC, PX; Bore 220 mm Max, up to 550 mm OD

Centrifugal Pump Drive, Jaw **SPIDER** L, AL; RRL, RRS **SPACER**; Bore 95 mm Max, 2750~5000 Speed

Centrifugal Fans, Brewing machinery, **SNAP WRAP** SW; Bore 75 mm Max, up to 192 mm OD

EOT Crane, Cement Mach., **PIN BUSH, BRAKE DRUM**; Bore 190 mm Max, up to 530 mm OD

Rolling Mill, Turbine, Curved Tooth **GEAR** Full-Flex, Half Rigid ; Bore 240 mm Max, Up to 570 mm OD

Bore & Keyway: Pilot or Finished to requisite size

TAPER BUSH System fitted: Optional

TEST CERTIFICATE w.r.t. O.D., Overall Length, Bore, etc. as per ISO 14691, BS 3790, IS 12405



Delivery Lead Time: Production Capacity: Generally, within 2-3 weeks 75,000 nos. per annum



Technical Data Download: www.hicPowerDrive.com

Power Belts Drive Components



Right Rotation Sheaves V and Timing Pulley

For Balance Precision Belt Run

Crusher, Ginning, Textile Machinery **V-BELT** Drive, C, SPC, B, SPB, A, SPA, E, D, 3V, 5V; 1~12 V Groove; Single and Dual Duty; up to 1250 mm PCD

Automotive Engine, Compressor **TIMING** Belt Drive, XXH, XH, H, L, XL Pitch; 10~50 Tooth Profile; up to 50 inch W

DYNAMIC BALANCING, Optional with Test Certificate, if run at >3,000 RPM Run, else, are statically balanced

WELD ON HUB Taper Bush, WH1008~WH5050; 125 mm Bore max

Bore & Keyway: Pilot or Finished to requisite size

Fan, Flywheel, Excavator Driving, Time-saver Quick-Fit **TAPER BUSH** System fitted: Optional

TEST CERTIFICATE w.r.t. Dimensions, Machined Grooves, etc. as per IS 3142, ISO 2768, DIN6885



Delivery Lead Time: Production Capacity: Generally, within 3-4 weeks 5,000 nos. per annum



Technical Data Download: www.hicPowerDrive.com

Compressor Fan Motor Pulley, Revolving Belts Perfectly!



Industrial & Automotive Drive Parts



Super Power Rated Antistatic V-Belt

For High Speed Fan Motor Revolve

Industrial Fans, Train Lighting Alternators, Stone Crusher Run, CLASSIC A,B,C,D,E Ax, Bx, FHP, up to 675 inch Li

Centrifugal Pumps, Generators, Compressors Run, Space-saver High Life WEDGE NARROW SPC,SPB,XPA,SPZ, 3V, 5V; up to 15000 mm Lp

Agricultural Machines, Band Saws Vertical Shaft Drives Even Load, **BANDED** RA, RB, RC; R5V, R8V; 2~8 Bands; up to 8890 mm Li

Rice, Ceramic Machinery Motors Run, **DOUBLE** Sided Power BB, CC; up to 162 inch Li

Automotive, Machine Tools Extreme Speed, **MULTI RIBBED POLY V** PJ, 3PK, 4PK, 5PK, 6PK, 8PK, PL, PM; up to 2500 mm L

TEST CERTIFICATE w.r.t. Tensile Strength, Elongation, Angle, etc. as per IS 2494, DIN7753



Delivery Lead Time: Production Capacity:

Generally, within 4-6 weeks 250,000 nos. per annum



Technical Data Download: www.hicPowerDrive.com

Mining Rubber Belt, Moving Ores Smoothly!

1

Aggregate Feeding Conveyor Parts



Anti-Abrasion Carrying Rubber Belt



Multi-PLY 2~8 Textile EP, NYLON Fabric

Tensile STRENGTH Ratings 315~2800KN/m

Stone, Sand, Bulk Materials Transport, GENERAL PURPOSE Grades M, N, Z

Cement Clinker, Coke, Hot Materials Conveying, Grades UHR T3, SHR T2, HEAT RESISTANT up to 210° C

Hazardous Lignite Coal, Sulphur Materials Transport, Underground Mining Antistatic **FIRE RESISTANT**

Sugar, Tea, Nontoxic Food Transfer, HYGIENIC Quality

SURFACE Finish, Smooth/Chevron C-15/ Rough Top

WIDTHS up to 80 inch

TEST CERTIFICATE w.r.t. Tensile Strength, Elongation, etc. as per IS 1891, DIN 22102



Delivery Lead Time: Production Capacity: Generally, within 6-8 weeks 72,000 meters per annum



Food Processing Conveyor Parts



Fats Resistant Transfer PVC PU Belt

For Nontoxic Handling of Eatables Continuously

THICKNESS 1.6~6 mm in 1~3 Polyester Fabric Ply

Tensile STRENGTH Ratings 120~200 N/mm

Seafood, Fruits, Tobacco Conveying, **PVC WHITE** Top **Diamond Bottom** FOOD Grade

Bread, Biscuits, Chocolates Transfer, PU WHITE FOOD Grade up to 100° C

Mineral Oils, Vegetable Oil, Electronics, Packing Materials, Non-stick Transfer, GREEN Color PVC SMOOTH, CLEATED Flights

Metal Recycling, Glass, Soap Incline Conveying, Super-Grip, **ROUGH-TOP**, **SAW TOOTH** Profile

Sugar, Tea, Vegetables, Stains-Free Transfer, **PVC Top** & **PVC Bottom** WHITE FOOD 5, 6 mm Thick

WIDTHS up to 120 inch

TEST CERTIFICATE w.r.t. Tensile Strength, Elongation, etc. as per ISO 21183



Delivery Lead Time: Production Capacity: Generally, within 3-4 weeks 36,000 meters per annum





N

1



Crushers Trough Conveyor Components



Heavy Aggregate Movement Roller Idler

For Conveying Belt Load Continuous Carrying

Crushers, Sand Conveyors, **CARRYING** type Sizes 89/101/114/127/139/152/159/165/195mm Diameter Rollers

Tunnel Conveyor, **SELF ALIGNING** type Sizes 89/101/114/127/139/152/159/165/195mm

Limestone, Mining Belt Conveyor Troughing, **IMPACT** with Rubber Rings type Sizes 114/140/165/190 mm OD, 76/89/114/139 mm Shell

Coal Washery, Salt, and Ash Conveyor, **RETURN** Plain and with Rubber Disc Sizes 76/89/101/114/127/139/152 mm Diam.

Shaft Diameter 20~40 mm

TRAINING, GUIDE, TRANSITION Idlers, BRACKETS and FRAMES as per Drawing

Seize-Resistant Bearing of reputed make and Multi-labyrinth Sealing

For **BELT WIDTH** up to 2400 mm~96 inch

TEST CERTIFICATE w.r.t. Dimensions, TIR, etc. as per IS 8598, CEMA-C

Delivery Lead Time: Production Capacity: Generally, within 4-6 weeks 60,000 nos. per annum







Endless Belt Conveyor Accessories



Strong Mechanical Joints Belt Fastener

For Conveyor & Elevator Belts Solid Splice

Crushers, Underground Mining Conveyor Belt, Solid Plate **HAWK** Type, 1/1.5/2/2.5/3 inch Sizes,

150~560 P.I.W., up to 25 mm Thick Rubber Belt Joint

Grain, Mud, Bucket Elevator BOLT **EURO, OVAL, REF** 70 Types, Sizes M6x20~M12x70,

Up to 8~66 Nm Torque

Food Conveyor Belt, PRE-INSERTED STAPLE Lace Strips RS62/125/187 Sizes,

17~35 KN/m, up to 6 mm Thick PVC Belt Joint

TEST CERTIFICATE w.r.t. Dimensions, Working Tension Rating P.I.W., etc. as per IS 10288



Delivery Lead Time: Production Capacity: Generally, within 2-3 weeks 100,000 nos. per annum







Belt Conveyor Side Parts



Safe Skirtboard Seal Rubber Skirting

For Moving Material-Spill Sealing

Aggregate Feeder, Iron Ore Conveyor Belt, Abrasion Resistant NR, SBR, EPDM Rubber

THICKNESS 8~16 mm

WIDTH 250~400 mm

Color: BLACK, Red

LENGTH 2~25 Meters, depending upon thickness

TEST CERTIFICATE w.r.t. Shore Hardness, etc. as per ISO 868, ASTM D412, ISO 1629



Delivery Lead Time: Production Capacity: Generally, within 3-4 weeks 18,000 nos. per annum



HIC INTERNATIONAL CO INC.

Vendor Data

ISO:9001 Certified

Company/Contact Information:	VENDOR Data
1. Company Name:	HIC INTERNATIONAL CO INC
2. Complete billing address:	D-136, SHANKAR ROAD,
3. City (State), Zip/ Pin, Country:	NEW DELHI (Delhi), 110060, INDIA
4. Primary Contact Person Name:	ANIL GUPTA (Mr), President PRIYUM (Ms), Exports Head
5. Business Phone (Landline), Mobile:	+91 72890 45000, 011 2874 2791, M: +91 88 266 79660
6. E-mail Address:	universal@hic-india.com; belts@universaldelhi.org; delhi@hicconveyors.com; export@hicrubber.com
Legal/Taxation Information:	
7. GST No.:	07AEAPG8092E1ZN
8. MSME Act Registration:	UDYAM-DL-01-0000131
9. ISO Certificate Status:	ISO 9001 Certified
Bank Details: (For Domestic buyers): NEFT/ RTGS Transfer or Deposit within India	
10. Bank Name & Type:	KOTAK MAHINDRA BANK, CURRENT
11. Account Number:	0179200000647
12. IFSC Code, Branch:	KKBK0000179 , Br: OLD RAJINDER NAGAR, NEW DELHI 60
Bank Details: (For Overseas buyers): T/T Wire Transfer to India	
13. Corresponding bank, Swift Code:	Standard Chartered, NY- USA, SCBLUS33
14. Beneficiary Bank Name, Swift Code & Address:	INDIAN OVERSEAS BANK, Swift: IOBAINBB001 Br: Rajendra Place Branch, New Delhi-110008, INDIA
15. Account Number, IBAN:	044202000004960 (CURRENT); IBAN: NA
PRODUCTS Produced & Exported	
i) BELTS, IDLER, FASTENER, SKIRTING <u>www.hicConveyors.com</u> ii) BELTING, COUPLING, V-BELTS, PULLEY <u>www.hicPowerDrive.com</u>	
iii) MATS, SHEETING, LAGGING	www.hicInsulation.com
iv) HOSES, CAMLOCK, QRC, VALVE	<u>www.hicHydraulic.com</u>

MAXIMIZE INDUSTRIAL OUTPUT.

REDUCE FACTORY DOWNTIME.

OEM Replacement Parts, **Proven Reliability**









Delhi, India HQ www.hic-India.com







No Scope for Discrepancy!

www.hicRubber.com

NEW DELHI-110060 INDIA (Asia) +91 88266 79660
+91 72890 45000

export@hicrubber.com universal@hic-india.con